



Charles Dellinger, M.D. Dan Spearman, M.D. Shiree Sauer, M.D. Mark Bedard, D.O.

John Chan, M.D. Tariq Gulzar, M.D. Ashley Wright, M.D.

Marianne Davenport, APRN Mekal Faciane, PAC Maryann Hanson, APRN Emily Gehret, PAC

## Immunization Schedule

We follow the guidelines of the Academy of Pediatrics.  
 All patients (new and current) must follow the recommended vaccine schedule.  
 This schedule is subject to change.

Please note: the 6-month, 12 months, and 4-year appointments **MUST** be on or after the child turns that age.

2mo	4mo	6mo	12mo	15mo	18mo	2yr	4yr	9yr & up	11/12 yr	16 yr
Vaxelis*	Vaxelis*	Vaxelis*	MMR	HIB	DTaP	Hep A	Quadracel**	HPV****	TDaP	MCV
PCV	PCV	PCV	VZV	PCV			Proquad***		MCV	MCV B*****
Rotateq	Rotateq	Rotateq	Hep A							

**Influenza Vaccine is recommended yearly after 6 months of age.**

**Vaxelis includes DTaP, IPV, Hib, and Hep B \***

**Quadracel includes DTaP and IPV \*\***

**Proquad includes MMR and VZV \*\*\***

**HPV is a 2 or 3 dose series depending on when the first dose is given \*\*\*\***

**MCV B is a 2-dose series separated by 1 month \*\*\*\*\***

What the abbreviations mean: **DTaP** - Diphtheria, Tetanus, and Pertussis; **IPV** – Inactivated Polio; **HIB** – Haemophilus Influenzae; **MMR**- Measles, Mumps, and Rubella; **VZV** – Varicella; **HPV** – Human Papillomavirus (Gardasil); **TDaP** – Tetanus, Diphtheria, and Pertussis.  
**MCV** – Meningococcal ACWY (Menquadfi); **MCV B** – Meningococcal B (Bexsero)



Charles Dellinger, M.D. Dan Spearman, M.D. Shiree Sauer, M.D. Mark Bedard, D.O.

John Chan, M.D. Tariq Gulzar, M.D. Ashley Wright, M.D.

Marianne Davenport, APRN Mekal Faciane, PAC Maryann Hanson, APRN Emily Gehret, PAC

### **Alternate Immunization Schedule**

We follow the guidelines of the Academy of Pediatrics.  
 All patients (new and current) must follow the recommended vaccine schedule.  
 This schedule is subject to change.

Please note the 6-month, 12 months, and 4-year appointments **MUST** be on or after the child turns that age.

2 mo	3mo	4mo	5mo	6 mo	7mo	9mo	12mo	13mo	15mo	18mo	2yr	4yr	5yr	9yr +	11/12 yr	16 yr
Vaxelis*	PCV	Vaxelis*	PCV	Vaxelis*	PCV	Flu	MMR	Hep A	HIB	DTaP	Hep A	Quadracel**	Proquad***	HPV****	TDaP	MCV
Rotateq		Rotateq		Rotateq	Flu		PCV		VZV						MCV	Bexsero*****

**Influenza Vaccine is recommended yearly after 6 months of age**

**Vaxelis includes DTaP, IPV, Hib, and Hep B \***

**Quadracel includes DTaP and IPV \*\***

**Proquad includes MMR and VZV \*\*\***

**HPV is a 2 or 3 dose series depending on when the first dose is given \*\*\*\***

**MCV B is a 2-dose series separated by 1 month \*\*\*\*\***

What the abbreviations mean: **DTaP** - Diphtheria, Tetanus, and Pertussis; **IPV** – Inactivated Polio; **HIB** – Haemophilus Influenzae; **MMR**- Measles, Mumps, and Rubella; **VZV** – Varicella; **HPV** – Human Papillomavirus (Gardasil); **TDaP** – Tetanus, Diphtheria, and Pertussis.

**MCV** – Meningococcal ACWY (Menquadfi); **MCV B** – Meningococcal B (Bexsero)